
St Ignatius' College Riverview

LANE COVE, NSW


DRAWING SCHEDULE


DRAWING NO. DRAWING TITLE **COVER SHEET** 001 LEGEND 002 MATERIALS SCHEDULE 003 PLANTING SCHEDULE LANDSCAPE MASTER PLAN SETOUT AND GRADING PLAN 1 202 **SETOUT AND GRADING PLAN 2** 203 SETOUT AND GRADING PLAN 3 **SETOUT AND GRADING PLAN 4** SETOUT AND GRADING PLAN 5 SETOUT AND GRADING PLAN 6 SETOUT AND GRADING PLAN 7 208 **SETOUT AND GRADING PLAN 8** SETOUT AND GRADING PLAN 9 HARDWORKS PLAN 1 302 HARDWORKS PLAN 2 303 HARDWORKS PLAN 3 304 HARDWORKS PLAN 4 305 HARDWORKS PLAN 5 306 HARDWORKS PLAN 6 307 HARDWORKS PLAN 7 308 HARDWORKS PLAN 8 309 **SOFTWORKS PLAN 1** SOFTWORKS PLAN 2 SOFTWORKS PLAN 3 **SOFTWORKS PLAN 4 SOFTWORKS PLAN 5** SOFTWORKS PLAN 6 **SOFTWORKS PLAN 7 SOFTWORKS PLAN 8 SOFTWORKS PLAN 9 SECTIONS** SECTIONS LANDSCAPE DETAILS - FINISHES 610 LANDSCAPE DETAILS - EDGES 620 LANDSCAPE DETAILS - WALLS 630 LANDSCAPE DETAILS - STAIRS 640 LANDSCAPE DETAILS - HANDRAILS AND FENCES 641 LANDSCAPE DETAILS - HANDRAILS AND FENCES LANDSCAPE DETAILS - FURNITURE 650 651 LANDSCAPE DETAILS - FURNITURE 652 LANDSCAPE DETAILS - FURNITURE 660 LANDSCAPE DETAILS - STRUCTURES LANDSCAPE DETAILS - STRUCTURES 662 LANDSCAPE DETAILS - STRUCTURES 663 LANDSCAPE DETAILS - STRUCTURES LANDSCAPE DETAILS - STRUCTURES LANDSCAPE DETAILS - STRUCTURES 670 LANDSCAPE DETAILS - SOFTWORKS 671 LANDSCAPE DETAILS - SOFTWORKS LANDSCAPE SPECIFICATION

LOCATION PLAN



KEYPLAN





Not for Construction



FOR TENDER



Drawing No. Drawing Name

OOO COVER SHEET




HARDWORKS LEGEND SETOUT LEGEND ANGLE MEASUREMENT ☐ LANDSCAPE SCOPE OF WORKS LINE DISTANCE MEASUREMENT EXISTING ELEMENTS TO BE DEMOLISHED TREES TO BE RETAINED RADIUS MEASUREMENT TREES TO BE REMOVED SETOUT GUIDES GRANITE UNIT PAVER Refer Landscape Specification SETOUT MARKER COLOURED CONCRETE PAVE Refer Landscape Specification **GRADING LEGEND** REDUCED LEVEL OXIDE CONCRETE PAVE Refer Landscape Specification FINISHED FLOOR LEVEL DECOMPOSED GRANITE PAVE P4 Refer Landscape Specification TOP / BOTTOM OF STEP COLOURED CONCRETE STAIRS TS/BS Refer Landscape Specification STEP HEIGHT CONCRETE STAIRS Refer Landscape Specification INSITU CONCRETE STAIRS TOP / BOTTOM OF WALL ST3 Refer Landscape Specification TW/BW H1 CENTRE HANDRAIL Refer Landscape Specification TOP OF STORMWATER PIT TGSI TACTILE INDICATORS TOS Refer Landscape Specification TR/BR TOP / BOTTOM OF RAMP CUSTOM SECURITY GATE √G1 Refer Landscape Specification FE1 Refer Landscape Specification E1 STEEL EDGE -- Refer Landscape Specification STEEL UPSTAND EDGE E2 Refer Landscape Specification E3 STEEL KERB RAIL Refer Landscape Specification W1a SANDSTONE RETAINING WALL Refer Landscape Specification W1b SANDSTONE SEATING WALL Refer Landscape Specification W2 CONCRETE PLANTER WALL Refer Landscape Specification W3 TERRACED SANDSTONE WALL Refer Landscape Specification TIMBER DECK TD Refer Landscape Specification TIMBER PLATFORM F1a Refer Landscape Specification TIMBER PLATFORM F1b Refer Landscape Specification ☐ PRECAST BENCH SEAT F2 Refer Landscape Specification PRECAST BENCH SEAT F3 Refer Landscape Specification SANDSTONE SEATING BLOCK Refer Landscape Specification STUDY BAR F5 Refer Landscape Specification STUDY BAR SEATS F6 Refer Landscape Specification SMART TABLES AND SEATS Refer Landscape Specification RECYCLED TIMBER HOB Refer Landscape Specification ST01 CANOPY 1 Refer Landscape Specification ST02 CANOPY 2 Refer Landscape Specification ST03 CANOPY 3 Refer Landscape Specification

L1/L2 LIGHTING Refer Lighting Consultant

SOFTWORKS LEGEND MASTERPLAN LEGEND EXISTING TREES TO BE RETAINED CONCRETE PAVING Refer Landscape Specification Refer Landscape Specification EXISTING TREES TO BE REMOVED UNIT PAVING Refer Landscape Specification Refer Landscape Specification ANGOPHORA COSTATA DECOMPOSED GRANITE PAVING Refer Landscape Specification Refer Landscape Specification BANKSIA INTEGRIFOLIA GRAVEL PAVING
Refer Landscape Specification Refer Landscape Specification CERATOPETALUM GUMMIFERUM TIMBER DECKING ☐ Refer Landscape Specification Refer Landscape Specification EUCALYPTUS HAEMASTOMA
Refer Landscape Specification RETAINING WALL Refer Landscape Specification FICUS RUBIGINOSA
Refer Landscape Specification TIMBER EDGING Refer Landscape Specification LOPHOSTEMON CONFERTUS
Refer Landscape Specification EXISTING TREES TO BE RETAINED Refer Landscape Specification SHRUB AND ACCENT PLANTING
Refer Landscape Specification EXISTING TREES TO BE REMOVED Refer Landscape Specification ANGOPHORA COSTATA GROUNDCOVER PLANTING * | Refer Landscape Specification Refer Landscape Specification BANKSIA INTEGRIFOLIA
Refer Landscape Specification MATRIX 1 Refer Landscape Specification CERATOPETALUM GUMMIFERUM MATRIX 2 Refer Landscape Specification Refer Landscape Specification EUCALYPTUS HAEMASTOMA
Refer Landscape Specification FICUS RUBIGINOSA Refer Landscape Specification LOPHOSTEMON CONFERTUS LOPHOSTEMON CONFERIUS
Refer Landscape Specification SHRUB AND ACCENT PLANTING
Refer Landscape Specification GROUNDCOVER PLANTING Refer Landscape Specification MATRIX 1 Refer Landscape Specification MATRIX 2 Refer Landscape Specification

Copyright remains the property of Arcadia Design Group Pty Ltd. Use only figured dimensions. Any other required dimensions are to be referred to and supplied by the landscape architect. All discrepancies to be referred to the project manager and Arcadia Design Group Pty Ltd prior to construction. Ensure compliance with the Building Code of Australia and all relevant Australian Standards and Authority requirements.



Not for Construction



FOR TENDER



Saint Ignation
RIVERVIEW Saint Ignatius' College

Drawing No. **Drawing Name** 001 LEGEND

Pyrmont NSW 2009 E sydney@arcadiala.com.au T 02 8571 2900



Sydney, Suite 76, Jones Bay Wharf, 26-32 Pirrama Road,



right remains the property of Arcadia Design Group td. Use only figured dimensions. Any other required nsions are to be referred to and supplied by the scape architect. All discrepancies to be referred to the cot manager and Arcadia Design Group Pty Ltd prior to truction. Ensure compliance with the Building Code of ralia and all relevant Australian Standards and ority requirements.

CODE	TYPE	DETAIL	LOCATION	PRODUCT INFORMATION	MATERIAL	CONSTRUCTION NOTES
	PAVING & SURFACES					
P1	Granite Unit Paving		Refer landscape plans	Product: Precast Granite (raven Black) - to match Therry	Large format stone paver, butt jointed	Refer Landscape detail & specification
				building Dimensions: 500 x 250 x min 30mm depth		
				Finish: Exfoliated finish		
P2	Coloured Concrete with Line marking	1100	Refer landscape plans	Product: Coloured concrete (Neutral tones with peach/sandstone oxide) with feature aggregate	Concrete paving to engineers specification	Refer Landscape detail & specification
				Dimensions: 100mm depth		
D.C.						
P3	Insitu Concrete Paving with Dark Oxide	-	Refer landscape plans	Product: Dark Oxide - CCS obsidian Dimensions: 100mm depth	Insitu concrete paving to engineers specification	Refer Landscape detail & specification
				Finish: Exposed finish, honed, slip resistant		
P4	Decomposed Granite Paving		Refer landscape plans	Product: Decomposed granite, mix brown and gold	Decomposed granite, un-stablilised with 5% cement mix	Refer Landscape detail & specification
14	Decomposed Granne Paving		neier ratioscope plans	Froduct, becomposed granite, mix brown and gold	becomposed granne, un-stabilised with 5% cement mix	neier Lanascape detail & specification
	EDGE					
El	Steel Edge		Refer landscape plans	Galvanised Mild Steel	Galvanised Mild Steel	Refer Landscape detail & specification
	F 7 17 20 1			Dimensions: Refer Landscape Detail		
E2	Steel Upstand Edge	-	Refer landscape plans	Galvanised Mild Steel	Galvanised Mild Steel	Refer Landscape detail & specification
	miss of mana sage.		Trees continues of a farming	Dimensions: Refer Landscape Detail		Tiere Barrace pe decide of operation
	WALLS					
Wla	Sandstone Retaining Wall		Refer landscape plans	Product: A grade sandstone	Sandstone Equal to Gosford Quarries	Refer Landscape detail & specification
		-		Supplier: Gosford Quarrires A grade Dimensions: 2000x500x500mm		
				Finish: Quary Sawn, split face		
Wlb	Sandstone Seating Retaining Wall		Refer landscape plans	Product: A grade sandstone	Sandstone Equal to Gosford Quarries	Refer Landscape detail & specification
	Daniel County Helining		rest randospo prans	Supplier: Gosford Quarrires A grade	broadcast to the angles to be or other or to be and the se	riote particularly a detail of up settle driet.
				Dimensions: 2000x500x500mm		
		-		Finish: Quary Sawn, split face		
W2	Formed Concrete Planter Wall - 200mm		Refer landscape plans	Product: Off form percast concrete	Concrete to Engineers specification	Refer Landscape detail & specification
				Supplier: 2 Barrows Finish: Class 2 finish		
				Chamfer: Nominal 10mm chamfer to top edges		
W3	Sandstone Seating Wall		Refer landscape plans	Product: A grade sandstone	Sandstone Equal to Gosford Quarries	Pefer I and come detail 9 on exiting time
11/2	Sundsione Sedling wall		neier landscape plans	Supplier: Gosford Quarrires A grade	Sundatione Equal to Gostora Quarties	Refer Landscape detail & specification
				Dimensions: 2000x500x500mm		
				Finish: Quary Sawn, split face		
	STEPS					
STI	Coloured Concrete	1	Refer landscape plans	Product: Coloured concrete (Neutral tones with	Stairs in cladding Pl paving	4.0.0.0.0.0.000
			E France	peach/sandstone oxide) with feature aggregate		Refer Landscape detail & specification
				Finish: Washed / Exposed finish		
ST2	Insitu Concrete Steps with Granite Cladding		Refer landscape plans	Product: Precast Granite (raven Black) - to match Therry	Stairs in cladding P2 paving	Pefer I and come - Justil 9
1.67			The State of the S	building	A second	Refer Landscape detail & specification
				Dimensions: min 140mm depth Finish: Exfoliated finish, butt jointed		
					Alexander and an artist and a second	A. A
ST3	Insitu Concrete Steps with Dark Oxide		Refer landscape plans	Product: Dark Oxide - CCS colour TBC, Finish: Washed / Exposed finish	Stairs in cladding P3 paving	Refer Landscape detail & specification

	HANDRAILS, & BALUSTRADES						
HI	Centre Free Standing Handrail	Refer landscape plans	Product: Steel Central Handrail Finish: Galvanised steel , 45Dia	Galvanised steel	Refer Landscape detail & specification		
H2	Free standing wall mounted	Refer landscape plans	Product: Steel Wall Mounted Handrail Finish: Galvanised steel , 45Dia	Galvanised steel	Refer Landscape detail & specification		
BALl	Steel Balustrade	Refer landscape plans	Product: Galvanised steel balustrade Custom to match therry garden	Galvanised steel	Refer Landscape detail & specification		
FEI	Timber Post Fence	Refer landscape plans	Product: 100 x 100mm Timber Post with wire	Hardwood Post	Refer Landscape detail & specification		
	STRUCTURES						
ST01	Canopy 01	Refer landscape plans	Product: Custom large structure with steel, perferated glass panels, weatherproof Dimensions: Refer Detail	Steel frame, Glass top and perforated underside. Drainage incorporated	Refer Landscape detail & specification		
ST02	Canopy 02	Refer landscape plans	Product: Custom large structure with steel, perferated glass panels, weatherproof Dimensions: Refer Detail	Steel frame, Glass top and perforated underside. Drainage incorporated	Refer Landscape detail & specification		
ST03	Canopy 03	Refer landscape plans	Product: Custom large structure with steel, perferated glass panels, weatherproof Dimensions: Refer Detail	Steel frame, Glass top and perforated underside. Drainage incorporated	Refer Landscape detail & specification		
ST04	Arbour Structure	Refer landscape plans	Product: Custom SHS Steel arbor structure with tensile fixings and vegetaion climbing trellis Supplier: To custom manufacture	Powdercoated Steel Arbor			
			Supplier: 10 custom manufacture				
TD	Raised Timber Deck	Refer landscape plans	Product: 140 x 20mm, 8mm gapping Dimensions: Refer landscape details	Hardwood timber (spotted gum), joists + bearers to engineers spec	Refer Landscape detail & specification		
	FIXTURES						
TGSI	Tactile Indicators	Refer landscape plans	Galvanised steel Product: Safespot 'Millenium' range Supplier: Safespot	Galvanised steel	Refer Landscape detail & specification		
Sn	Step Nosings	Refer landscape plans, to all stairs	Galvanised steel Product: Korb 'Tadao' range 122510 50x3mm recessed Supplier: Korb	Galvanised steel	Refer Landscape detail & specification		
	FURNITURE						
Fla	Timber Platform Small	Refer landscape plans	Product: 140 x 20mm, 8mm gapping Dimensions: Refer landscape details	Hardwood Timber, powdercoated steel frame, galvanised fixings	Refer Landscape detail and specification		
Flb	Timber Platform Large	Refer landscape plans	Product: 140 x 20mm, 8mm gapping Dimensions: Refer landscape details	Hardwood Timber, powdercoated steel frame, galvanised fixings	Refer Landscape detail and specification		
F2	Precast Bench	Refer landscape plans	Product: Equal to 2 barrows precast concrete Dimensions: Refer landscape details	Precast Concrete Shot Blast Finish	Refer Landscape detail and specification		
F3	Precast Bench	Refer landscape plans	Product: Equal to 2 barrows precast concrete Dimensions: Refer landscape details	Precast Concrete Shot Blast Finish	Refer Landscape detail and specification		
F4	Sandstone Block seat	Refer landscape plans	Product: Gosford Quarries A grade Sandstone blocks Dimensions: Refer landscape details Finish: Smooth top, exfoliated face	Sandstone hob	Refer Landscape detail and specification		
FE	Precast Bar	Defeator december a lama	Deciderate December was another broad to	Precast Concrete Shot Blast Finish	Defect and access detail and an authorities		
F5	Precast Bar	Refer landscape plans	Product: Precast concrete bar top Dimensions: Refer landscape details	Precast Concrete Shot Blast Finish	Refer Landscape detail and specification		
F6	Bar Seats	Refer landscape plans	Product: Custom Steel Bar Seat Dimensions: Refer landscape details Finish: Powdercoated Colour TBC	Powdercoatd steel and galvanised fixings	Refer Landscape detail and specification		
F7	Smart tables and Chairs	Refer landscape plans	Product: Custom TBC	Steel smart tables with integrated GPO, 240 Phase Power and AV Ports.	Refer Landscape detail and specification		
	Smarr rables and Orders	neier randscape prans	Dimensions: Refer landscape details Finish: Powdercoated Colour TBC Services; 3 x double GPO per table	Further design finalisation to be done in collaboration with manufacturer.	neter Landscape detail and specification		
F8	Kennedy Recyled Timber Hob	Refer landscape plans	Product: Harbour side Recycled Timber Hob Supplier: Kennedy's Timber Dimensions: Refer landscape details	Recycled Hardwood Timber	Refer Landscape specification		
WB	Water Bubbler	Refer landscape plans	Finish: 300 x 300 recycled hardwood Product: BF200 Water Bottle Refill Fountain Supplier: Urban+	Fully welded steel	Refer Landscape specification		
BIN	Rubbish Bin	Refer landscape plans	Finish: Powdercoat with anti graffiti coating Product: Wharf Bin (Modified) Supplier: StraBe Finish: Powdercoated	Powdercoated Mild Steel, Spotted Gum Slats	Refer Landscape specification		
	LIGHTING			T			
Ll	Garden Uplight	Refer prelimanary landscape lighting plans	Product: Equal to 'Underscore InOut' Supplier: iGuzzini	Warm white (nom 3000K)	To electrical engineers specification		
L2	Structure Mounted Light	Refer prelimanary landscape lighting plans	Product: Equal to 'Light Up' Supplier: iGuzzini	Warm white (nom 3000K)	To electrical engineers specification		
L3	Strip Light	Refer prelimanary landscape lighting plans	Product: Equal to 'Linealuce' Supplier: iGuzzini	Warm white (nom 3000K)	To electrical engineers specification		
L4	Post Light - Directional	Refer prelimanary landscape lighting plans	Product: Equal to 'Underscore InOut' Supplier: iGuzzini	Warm white (nom 3000K)	To electrical engineers specification		
L5	Post Light - Array	Refer prelimanary landscape lighting plans	Product: Equal to 'Fiamma' Supplier: iGuzzini	Warm white (nom 3000K)	To electrical engineers specification		
		1	P	P. Company	I-		

or Coordination or Coordination or Coordination or Coordination 5% For coordination 5% DD evision Description	LM LM LM LM LM Drawn	AL AL AL AL Check	25.07.22 21.07.22 15.07.22 04.07.22 20.05.22 Date
or Coordination or Coordination or Coordination 5% For coordination	LM LM LM	AL AL AL	21.07.22 15.07.22 04.07.22
or Coordination or Coordination or Coordination	LM LM	AL AL	21.07.22 15.07.22
or Coordination or Coordination	LM	AL	21.07.22
or Coordination			
	LM	AL	25.07.22
JK ILINDLK			
OR TENDER	LM	AL	15.08.22
OR TENDER	CL	AL	09.09.22
OR TENDER	CL	AL	14.09.22
			ACTENDEN OF THE

Not for Construction





Drawing No. Drawing Name
OO2 MATERIALS SCHEDULE

19-655





9-000	RIVERVIEW S2 PLANT SCI	1EDULE			
CODE	BOTANIC NAME	COMMON NAME	MATURE SIZE (h x w) (m)	PROPOSED POT SIZE	QUANTITY
	TREES & PALMS				
Ac	Angophora costata	Smooth-Barked Apple	20 x 10	200L	8
Bi	Banksia integrifolia		12 x 7		4
Cg	Ceratopetalum gummiferum	New South Wales Christmas bush	5m h	75L	5
Eh	Eucalyptus haemastoma	Scribbly Gum	15 x 10	200L	17
Fr	Ficus rubiginosa	Port Jackson Fig	30 x 10	2000L	1
Lc	Lophostemon confertus	Brush Box	15 x 10	200L	2
	aspired men commented		10 % 10	2002	
	SHRUBS & ACCENTS				
Asu	Acacia suaveolens	Sweet-scented Watttle	2 x 1	150mm	84
Bgg	Banksia ericifolia	Heath-Leaved Banksia	1.5 x 1.5	25L	91
Dt	Dodonaea triquetra	Forest Hop Bush	3m h	200mm	30
GI	Grevillea linearifolia	White Spider Flower	2 x 2	150mm	65
Pf	Platylobium formosum	Handsome Flat-pea	2m h	200mm	44
Ps	Polyscias sambucifolia	Elderberry panax	3m h	200mm	15
Xt	Xanthorrhoea Species	Grass Tree	2 x 1	100cm Trunk	12
Cdb	Correa reflexa	Common Correa	1 x 1	25L	41
Lp	Leptospermum polygalifolium	Lemon-scented Tea Tree	1.5 x 2	25L	27
	GRASSES & RUSHES				
					-05
Dr	Dianella Spp.	Spreading Flax Lily	1 x 1.5	150mm	385
	FERNS & CYCADS				
Mc	Macrozamia communis	Burrawong	1.5 x 2	150mm	112
Вс	Ble chnum cartilagine um	Soft Water Fern	1 x 1	150mm	330
Ad	Adiantum aethiopicum	Maidenhair Fern	0.5 x 0.5	150mm	157
Aa	Asplenium australasicum	Birds Nest Fern	1.5 x 1.5	200mm	26
Br	Bromeliad Species	Bromeliad	1 x 1	200mm	32
Md	Microsorum diversifolium	Kangaroo Paw Fern	1 x 1	200mm	76
Hm	Hypolepis muelleri	Ground Fern	1m h	150mm	33
	GROUNDCOVERS & CLIMBERS				
Hv	Hardenbergia violacea	False Sarsaparilla	0.25 v aproading	150mm	40
Dsf	Dichondra repens	Kidney Weed	0.25 x spreading 0.2 x spreading	150mm	40
Vh	Viola hederacea	Native Violet	0.2 x 5preading	150mm	589
	MATRIX 01				
_				100	
Dr	Dianella Spp.	Spreading Flax Lily	1 x 1.5	150mm	848 (6/m2)
Es	Entolasia stricta	Wiry Panic	0.8m h	150mm	1134 (8/m2)
Lla	Lepidosperma laterale	Variable Swordsedge	1m h	150mm	848 (6/m2)
Ms	Microlaena stipoides	Weeping Grass	0.7m h	150mm	565 (4/m2)
Ta	Themeda australis	Kangaroo Grass	1 x 1	150mm	1134 (8/m2)
	MATRIX 02				
LI	Lomandra longifolia	Spiny Headed Mat Rush	1 x 1	150mm	562 (6/m2)
Pg	Patersonia glabrata	Leafy Purple Flag	0.5 x 0.5	200mm	749 (6/m2)
Pa	Poa affinis	Tussock Grass	0.5 X 0.5 1m h	150mm	562 (6/m2)
Lh	Lomandra hystrix	Mat Rush	1.5 x 1.5	150mm	374 (6/m2)
Bs	Billardiera scandens	Apple Berry	1.5 x Spreading	150mm	562 (6/m2)
D3	Dillaluicia Scalluciis	Muhic Della	I I.J X Spiedulily	13011111	JUZ (U/ IIIZ)

Copyright remains the property of Arcadia Design Group Pty Ltd. Use only figured dimensions. Any other required dimensions are to be referred to and supplied by the landscape architect. All discrepancies to be referred to the project manager and Arcadia Design Group Pty Ltd prior to construction. Ensure compliance with the Building Code of Australia and all relevant Australian Standards and Authority requirements.

sue	Revision Description	Drawn	Check	Date	
	65% DD	LM	AL	20.05.22	
	65% For coordination	LM	AL	04.07.22	
	For Coordination	LM	AL	15.07.22	
	For Coordination	LM	AL	21.07.22	
	For Coordination	LM	AL	25.07.22	
	FOR TENDER	LM	AL	15.08.22	
	FOR TENDER	CL	AL	09.09.22	
	FOR TENDER	CL	AL	14.09.22	

Not for Construction



FOR TENDER





Drawing No. Drawing Name
OO3 PLANTING SCHEDULE


003 FEANTING SCHEDO


Job No. 19-655
Issue 8
Scale NTS































Copyright remains the property of Arcadia Design Group Pty Ltd. Use only figured dimensions. Any other required dimensions are to be referred to and supplied by the landscape architect. All discrepancies to be referred to the project manager and Arcadia Design Group Pty Ltd prior to construction. Ensure compliance with the Building Code of Australia and all relevant Australian Standards and Authority requirements.

SOFTWORKS LEGEND

EXISTING TREES TO BE RETAINED Refer Landscape Specification TEXISTING TREES TO BE REMOVED

Refer Landscape Specification ANGOPHORA COSTATA

Refer Landscape Specification

BANKSIA INTEGRIFOLIA Refer Landscape Specification

CERATOPETALUM GUMMIFERUM

Refer Landscape Specification

FICUS RUBIGINOSA Refer Landscape Specification

LOPHOSTEMON CONFERTUS
Refer Landscape Specification


SHRUB AND ACCENT PLANTING
Refer Landscape Specification

GROUNDCOVER PLANTING Refer Landscape Specification

MATRIX 1
Refer Landscape Specification

MATRIX 2 Refer Landscape Specification

KEY PLAN



FOR TENDER CL AL 14.09.22 FOR TENDER FOR TENDER LM AL 15.08.22 For Coordination LM AL 25.07.22 For Coordination LM AL 21.07.22 For Coordination LM AL 15.07.22 65% For coordination LM AL 04.07.22 1 65% DD LM AL 20.05.22 Issue Revision Description Drawn Check Date

Not for Construction

ST IGNATIUS RIVERVIEW S2 LANE COVE NSW

FOR TENDER



Drawing Name SOFTWORKS 9

19-655

1:50 A1

